Heredity **83** (1999) 768–772

Author index

Abraham, E. G. *see* Reddy, K. D.

Albornoz, J., Domínguez, A. Spontaneous changes in *Drosophila melanogaster* transposable elements and their effects on fitness **663**

Archer, M. A. *see* Rieseberg, L. H.

Arias, M. C. *see* Diniz-Filho, J. A. F.

Armbruster, P., Bradshaw, W. E., Steiner, A. L., Holzapfel, C. M. Evolutionary responses to environmental stress by the pitcher-plant mosquito, *Wyeomyia smithii* **509**

Armstead, I. P., Bollard, A., King, I. P., Forster, J. W., Hayward, M. D., Evans, G. M., Thomas, H. M. Chromosome pairing in *Lolium perenne* × *L. temulentum* diploid hybrids: genetic and cytogenetic evaluation **298**

Arnaud, J.-F., Madec, L., Bellido, A., Guiller, A. Microspatial genetic structure in the land snail *Helix aspersa* (Gastropoda: Helicidae) **110**

Arthington, A. *see* Hughes, J.

Ashman, T.-L. Quantitative genetics of floral traits in a gynodioecious wild strawberry *Fragaria virginiana*: implications for the independent evolution of female and hermaphrodite floral phenotypes **733**

Bacchus, S. *see* Tsumura, Y.

Bahrman, N., Le Gouis, J., Hariri, D., Guilbaud, L., Jestin, L. Genetic diversity of old French six-rowed winter barley varieties assessed with molecular, biochemical and morphological markers and its relation to BaMMV resistance **568**

Bakkali, M. *see* Cabrero, J.

Bakkali, M., Cabrero, J., López-León, M. D., Perfectti, F., Camacho, J. P. M. The B chromosome polymorphism of the grasshopper *Eyprepocnemis plorans* in North Africa. I. B variants and frequency **428**

Bakx-Schotman, T. *see* Van Dijk, P. J.

Baldoni, L. *see* Bitonti, M. B.

Balloux, F. *see* Lugon-Moulin, N.

Barrett, J. A. *see* Vogel, J. C.

Beaudou, D. *see* Eppe, R.

Bellido, A. *see* Arnaud, J.-F.

Benavente, E. *see* Sánchez-Morán, E.

Berlocher, S. H. Host race or species? Allozyme characterization of the 'flowering dogwood fly', a member of the *Rhagoletis pomonella* complex **652**

Bernard, C. *see* Guillemaud, T.

Bernatchez, L. *see* Lu, G.

Berrebi, P. *see* Eppe, R.

Berry, Ralph E. *see* Blouin, M. S.

Bijleveld, A. *see* Melser, C.

Bitner-Mathé, B. C., Klaczko, L. B. Heritability, phenotypic and genetic correlations of size and shape of *Drosophila mediopunctata* wings **688**

Bitonti, M. B., Cozza, R., Chiappetta, A., Contento, A., Minelli, S., Ceccarelli, M., Gelati, M. T., Maggini, F., Baldoni, L., Cionini, P. G. Amount and organization of the heterochromatin in *Olea europaea* and related species **188**

Blouin, M. S., Liu, J., Berry, R. E. Life cycle variation and the genetic structure of nematode populations **253**

Bollard, A. *see* Armstead, I. P.

Bouchon, D. *see* Marcadé, I.

Bourguet, D. Short Review: The evolution of dominance **1**

Bousquet, J. *see* Perry, D. J.

Bradshaw, W. E. *see* Armbruster, P.

Brondani, R. V. *see* Collevatti, R. G.

Brünner, H. *see* Lugon-Moulin, N.

Bujnoch, W. *see* Vogel, J. C.

Cabrero, J. *see* Bakkali, M.

Cabrero, J., López-León, M. D., Bakkali, M., Camacho, J. P. M. Common origin of B chromosome variants in the grasshopper *Eyprepocnemis plorans* **435**

Camacho, J. P. M. *see* Bakkali, M.; Cabrero, J.

Capanna, E. *see* Castiglia, R.

Carrillo, M. *see* Felip, A.

Carvalho, A. B., Vaz, S. C. Short Review: Are *Drosophila* SR drive chromosomes always balanced? **221**

Carvalho, G. R. *see* Shaw, P. W.

Casas, A. M. *see* Igartua, E.

Castiglia, R., Capanna, E. Contact zones between chromosomal races of *Mus musculus domesticus*. 1. Temporal analysis of a hybrid zone between the CD chromosomal race ($2n=22$) and populations with the standard karyotype **319**

Castro, J. A., Ramon, M., Picornell, A., Moya, A. The genetic structure of *Drosophilia subobscura* populations from the islands of Majorca and Minorca (Balearic Islands, Spain) based on allozymes and mitochondrial DNA **271**

Ceccarelli, M. *see* Bitonti, M. B.

Chang, H.-Y. *see* Yu, Y.-C.

Charlwood, J. D. *see* Donnelly, M. J.

Chenoweth, S. *see* Hughes, J.

Chiappetta, A. *see* Bitonti, M. B.

Chicca, M. *see* Tagliavini, J.

Cionini, P. G. *see* Bitonti, M. B.

Ciudad, F. *see* Igartua, E.

Clouet, M. *see* Questiau, S.

Heredity **83** (1999) 768–772

Author index

Abraham, E. G. *see* Reddy, K. D.

Albornoz, J., Domínguez, A. Spontaneous changes in *Drosophila melanogaster* transposable elements and their effects on fitness **663**

Archer, M. A. *see* Rieseberg, L. H.

Arias, M. C. *see* Diniz-Filho, J. A. F.

Armbruster, P., Bradshaw, W. E., Steiner, A. L., Holzapfel, C. M. Evolutionary responses to environmental stress by the pitcher-plant mosquito, *Wyeomyia smithii* **509**

Armstead, I. P., Bollard, A., King, I. P., Forster, J. W., Hayward, M. D., Evans, G. M., Thomas, H. M. Chromosome pairing in *Lolium perenne* × *L. temulentum* diploid hybrids: genetic and cytogenetic evaluation **298**

Arnaud, J.-F., Madec, L., Bellido, A., Guiller, A. Microspatial genetic structure in the land snail *Helix aspersa* (Gastropoda: Helicidae) **110**

Arthington, A. *see* Hughes, J.

Ashman, T.-L. Quantitative genetics of floral traits in a gynodioecious wild strawberry *Fragaria virginiana*: implications for the independent evolution of female and hermaphrodite floral phenotypes **733**

Bacchus, S. *see* Tsumura, Y.

Bahrman, N., Le Gouis, J., Hariri, D., Guilbaud, L., Jestin, L. Genetic diversity of old French six-rowed winter barley varieties assessed with molecular, biochemical and morphological markers and its relation to BaMMV resistance **568**

Bakkali, M. *see* Cabrero, J.

Bakkali, M., Cabrero, J., López-León, M. D., Perfectti, F., Camacho, J. P. M. The B chromosome polymorphism of the grasshopper *Eyprepocnemis plorans* in North Africa. I. B variants and frequency **428**

Bakx-Schotman, T. *see* Van Dijk, P. J.

Baldoni, L. *see* Bitonti, M. B.

Balloux, F. *see* Lugon-Moulin, N.

Barrett, J. A. *see* Vogel, J. C.

Beaudou, D. *see* Eppe, R.

Bellido, A. *see* Arnaud, J.-F.

Benavente, E. *see* Sánchez-Morán, E.

Berlocher, S. H. Host race or species? Allozyme characterization of the 'flowering dogwood fly', a member of the *Rhagoletis pomonella* complex **652**

Bernard, C. *see* Guillemaud, T.

Bernatchez, L. *see* Lu, G.

Berrebi, P. *see* Eppe, R.

Berry, Ralph E. *see* Blouin, M. S.

Bijleveld, A. *see* Melser, C.

Bitner-Mathé, B. C., Klaczko, L. B. Heritability, phenotypic and genetic correlations of size and shape of *Drosophila mediopunctata* wings **688**

Bitonti, M. B., Cozza, R., Chiappetta, A., Contento, A., Minelli, S., Ceccarelli, M., Gelati, M. T., Maggini, F., Baldoni, L., Cionini, P. G. Amount and organization of the heterochromatin in *Olea europaea* and related species **188**

Blouin, M. S., Liu, J., Berry, R. E. Life cycle variation and the genetic structure of nematode populations **253**

Bollard, A. *see* Armstead, I. P.

Bouchon, D. *see* Marcadé, I.

Bourguet, D. Short Review: The evolution of dominance **1**

Bousquet, J. *see* Perry, D. J.

Bradshaw, W. E. *see* Armbruster, P.

Brondani, R. V. *see* Collevatti, R. G.

Brünner, H. *see* Lugon-Moulin, N.

Bujnoch, W. *see* Vogel, J. C.

Cabrero, J. *see* Bakkali, M.

Cabrero, J., López-León, M. D., Bakkali, M., Camacho, J. P. M. Common origin of B chromosome variants in the grasshopper *Eyprepocnemis plorans* **435**

Camacho, J. P. M. *see* Bakkali, M.; Cabrero, J.

Capanna, E. *see* Castiglia, R.

Carrillo, M. *see* Felip, A.

Carvalho, A. B., Vaz, S. C. Short Review: Are *Drosophila* SR drive chromosomes always balanced? **221**

Carvalho, G. R. *see* Shaw, P. W.

Casas, A. M. *see* Igartua, E.

Castiglia, R., Capanna, E. Contact zones between chromosomal races of *Mus musculus domesticus*. 1. Temporal analysis of a hybrid zone between the CD chromosomal race ($2n=22$) and populations with the standard karyotype **319**

Castro, J. A., Ramon, M., Picornell, A., Moya, A. The genetic structure of *Drosophilia subobscura* populations from the islands of Majorca and Minorca (Balearic Islands, Spain) based on allozymes and mitochondrial DNA **271**

Ceccarelli, M. *see* Bitonti, M. B.

Chang, H.-Y. *see* Yu, Y.-C.

Charlwood, J. D. *see* Donnelly, M. J.

Chenoweth, S. *see* Hughes, J.

Chiappetta, A. *see* Bitonti, M. B.

Chicca, M. *see* Tagliavini, J.

Cionini, P. G. *see* Bitonti, M. B.

Ciudad, F. *see* Igartua, E.

Clouet, M. *see* Questiau, S.

Coates, D. J., Hamley, V. L. Genetic divergence and the mating system in the endangered and geographically restricted species, *Lambertia orbifolia* Gardner (Proteaceae) **418**
Collevatti, R. G., Brondani, R. V., Grattapaglia, D. Development and characterization of microsatellite markers for genetic analysis of a Brazilian endangered tree species *Caryocar brasiliense* **748**
Collins, F. H. *see* Donnelly, M. J.
Collins, R. D., Jang, Y., Reinhold, K., Greenfield, M. D. Quantitative genetics of ultrasonic advertisement signalling in the lesser waxmoth *Achroia grisella* (Lepidoptera: Pyralidae) **644**
Congiu, L. *see* Tagliavini, J.
Conicella, C. *see* Del Bosco, S. F.
Contento, A. *see* Bitonti, M. B.
Cornelius, J. P. *see* Gillies, A. C. M.
Cox, C. J. *see* Vogel, J. C.
Cozza, R. *see* Bitonti, M. B.
Crnokrak, P., Roff, D. A. Inbreeding depression in the wild **260**
Cuamba, N. *see* Donnelly, M. J.

Daly, H. V. *see* Kain, D. E.
David, J. R. *see* Karan, D.
Degen, B., Streiff, R., Ziegenhagen, B. Comparitive study of genetic variation and differentiation of two pedunculate oak (*Quercus rober*) stands using microsatellite and allozyme loci **597**
Del Bosco, S. F., Tusa, N., Conicella, C. Microsporogenesis in a *Citrus* interspecific tetraploid somatic hybrid and its fusion parents **373**
Diniz-Filho, J. A. F., Fuchs, S., Arias, M. C. Phylogeographical autocorrelation of phenotypic evolution in honey bees (*Apis mellifera* L.) **671**
Domínguez, A. *see* Albornoz, J.
Donnelly, M. J., Cuamba, N., Charlwood, J. D., Collins, F. H., Townson, H. Population structure in the malaria vector, *Anopheles arabiensis* Patton, in East Africa **408**
Durka, W. Genetic diversity in peripheral and subcentral populations of *Corrigiola litoralis* L. (Illecebraceae) **476**

Eppe, R., Persat, H., Beaudou, D., Berrebi, P. Genetic variability in sculpin (genus *Cottus*) from southern France, with reference to the taxonomic status of an endemic species, *C. petiti* **533**
Evans, G. M. *see* Armstead, I. P.

Fairbairn, D. J. *see* Reeve, J. P.; Roff, D. A.
Falque, M. *see* Van Dijk, P. J.
Felip, A., Piferrer, F., Carrillo, M., Zanuy, S. The relationship between the effects of UV light and thermal shock on gametes and the viability of early developmental stages in a marine teleost fish, the sea bass (*Dicentrarchus labrax* L.) **387**
Festa-Bianchet, M. *see* Réale, D.
Fontana, F. *see* Tagliavini, J.
Forster, J.W. *see* Armstead, I. P.
Fuchs, S. *see* Diniz-Filho, J. A. F.

García-Marín, J. L. *see* Roldán, M. I.
Garcia-Vazquez, E. *see* Perez, J.
Gelati, M. T. *see* Bitonti, M. B.
Ghatnekar, L. A polymorphic duplicated locus for cytosolic PGI segregating in sheep's fescue (*Festuca ovina* L.) **451**
Gibby, M. *see* Vogel, J. C.
Gielly, L. *see* Questiau, S.
Gilchrist, G. W., Huey, R. B. The direct response of *Drosophila melanogaster* to selection on knockdown temperature **15**
Gillies, A. C. M., Navarro, C., Lowe, A. J., Newton, A. C., Hernández, M., Wilson, J., Cornelius, J. P. Genetic diversity in Mesoamerican populations of mahogany (*Swietenia macrophylla*), assessed using RAPDs **722**
Gordon, I. L. Quantitative genetics of intraspecies hybrids **757**
Goudet, J. *see* Lugon-Moulin, N.
Grattapaglia, D. *see* Collevatti, R. G.
Greenfield, M. D. *see* Collins, R. D.
Guerra, Á. *see* Pérez-Losada, M.
Guilbaud, L. *see* Bahrman, N.
Guillemaud, T., Raymond, M., Tsagkarakou, A., Bernard, C., Rochard, P., Pasteur, N. Quantitative variation and selection of esterase gene amplification in *Culex pipiens* **87**
Guiller, A. *see* Arnaud, J. -F.

Haakonsen, K. E. *see* Ramirez, M. G.
Hamley, V. L. *see* Coates, D. J.
Hardy, O. J., Vekemans, X. Isolation by distance in a continuous population: reconciliation between spatial autocorrelation analysis and population genetics models **145**
Hariri, D. *see* Bahrman, N.
Harshman, L. G. *see* Hoffmann, A. A.
Hausser, J. *see* Lugon-Moulin, N.
Hayward, M. D. *see* Armstead, I. P.
Hernández, M. *see* Gillies, A. C. M.
Higashiura, Y., Ishihara, M., Schaefer, P. W. Sex ratio distortion and severe inbreeding depression in the gypsy moth *Lymantria dispar* L. in Hokkaido, Japan **290**
Hindar, K. *see* Vøllestad, L. A.
Hoffmann, A. A., Harshman, L. G. Short Review: Desiccation and starvation resistance in *Drosophila*: patterns of variation at the species, population and intrapopulation levels **637**
Högberg, N., Holdenrieder, O., Stenlid, J. Population structure of the wood decay fungus *Fomitopsis pinicola* **354**

Holdenrieder, O. *see* Högberg, N.
Holmes, J. S. *see* Vogel, J. C.
Holzapfel, C. M. *see* Armbruster, P.
Howell, E. C. *see* Rae, A. M.
Huey, R. B. *see* Gilchrist, G. W.
Hughes, J., Ponniah, M., Hurwood, D., Chenoweth, S., Arthington, A. Strong genetic structuring in a habitat specialist, the Oxleyan Pygmy Perch *Nannoperca oxleyana* **5**
Hukriede, W. *see* Reusch, T. B. H.
Hurwood, D. *see* Hughes, J.

Igartua, E., Casas, A. M., Ciudad, F., Montoya, J. L., Romagosa, I. RFLP markers associated with major genes controlling heading date evaluated in a barley germ plasm pool **551**
Isabel, N. *see* Perry, D. J.
Ishihara, M. *see* Higashiura, Y.

Jang, Y. *see* Collins, R. D.
Jestin, L. *see* Bahrman, N.
Jones, A. *see* Sweigart, A.
Jordan, G. J., Potts, B. M., Wiltshire, R. J. E. Strong, independent, quantitative genetic control of the timing of vegetative phase change and first flowering in *Eucalyptus globulus* ssp. *globulus* (Tasmanian Blue Gum) **179**
Jorgenson, J. T. *see* Réale, D.
Juchault, P. *see* Rigaud, T.

Kain, D. E., Sperling, F. A. H., Daly, H. V., Lane, R. S. Mitochondrial DNA sequence variation in *Ixodes pacificus* (Acari: Ixodidae) **378**
Kamping, A., Van Delden, W. The role of fertility restoration in the maintenance of the inversion *In(2L)t* polymorphism in *Drosophilia melanogaster* **460**
Karan, D., Moreteau, B., David, J. R. Growth temperature and reaction norms of morphometrical traits in a tropical drosophilid: *Zaprionus indianus* **398**
Karoly, K. *see* Sweigart, A.
Kearsey, M. J. *see* Rae, A. M.
King, I. P. *see* Armstead, I. P.
Klaczko, L. B. *see* Bitner-Mathé, B. C.
Klinkhamer, P. G. L. *see* Melser, C.
Krebs, R. A., Loeschcke, V. A genetic analysis of the relationship between life-history variation and heat-shock tolerance in *Drosophila buzzatii* **46**

Lane, R. S. *see* Kain, D. E.
Lanfredi, M. *see* Tagliavini, J.
Lascoux, M. *see* Semerikov, V. L.
Le Gouis, J. *see* Bahrman, N.
Lin, F.-J. *see* Yu, Y.-C.
Lipow, S. R., Wyatt, R. Diallel crosses reveal patterns of variation in fruit-set, seed mass, and seed number in *Asclepias incarnata* **310**
Liu, J. *see* Blouin, M. S.
Loeschcke, V. *see* Krebs, R. A.
López-León, M. D. *see* Bakkali, M.; Cabrero, J.
Lowe, A. J. *see* Gillies, A. C. M.
Lu, G., Bernatchez, L. A study of fluctuating asymmetry in hybrids of dwarf and normal lake whitefish ecotypes (*Coregonus clupeaformis*) from different glacial races **742**
Lugon-Moulin, N., Brünner, H., Balloux, F., Hausser, J., Goudet, J. Do riverine barriers, history or introgression shape the genetic structuring of a common shrew (*Sorex araneus*) population? **155**

Madec, L. *see* Arnaud, J.-F.
Maggini, F. *see* Bitonti, M. B.
Mamuris, Z., Stamatis, C., Triantaphyllidis, C. Intraspecific genetic variation of striped red mullet (*Mullus surmuletus* L.) in the Mediterranean Sea assessed by allozyme and random amplified polymorphic DNA (RAPD) analysis **30**
Marcadé, I., Souty-Grosset, C., Bouchon, D., Rigaud, T., Raimond, R. Mitochondrial DNA variability and *Wolbachia* infection in two sibling woodlice species **71**
Matioli, S. R., Templeton, A. R. Coadapted gene complexes for morphological traits in *Drosophila mercatorum*. Two-loci interactions **54**
McIntyre, L. M. *see* Vermerris, W.
Melser, C., Bijleveld, A., Klinkhamer, P. G. L. Late-acting inbreeding depression in both male and female function of *Echium vulgare* (Boraginaceae) **162**
Merilä, J., Sheldon, B. C. Short Review: Genetic architecture of fitness and nonfitness traits: empirical patterns and development of ideas **103**
Minelli, S. *see* Bitonti, M. B.
Møller, A. P. *see* Vøllestad, L. A.
Montoya, J. L. *see* Igartua, E.
Moran, P. *see* Perez, J.
Moreau, J. *see* Rigaud, T.
Moreteau, B. *see* Karan, D.
Moya, A. *see* Castro, J. A.
Murray, B. *see* Zhang, L.

Nagaraju, J. *see* Reddy, K. D.
Navarro, C. *see* Gillies, A. C. M.
Newton, A. C. *see* Gillies, A. C. M.
Nielsen, L. R., Siegismund, H. R. Interspecific differentiation and hybridization in *Vanilla* species (Orchidaceae) **560**
Nomura, T. On the methods for predicting the effective size of populations under selection **485**
Noor, M. A. F. Short Review: Reinforcement and other consequences of sympatry **503**

O'Connell, M. *see* Shaw, P. W.
Olsen, J. L. *see* Reusch, T. B. H.
Orellana, J. *see* Sánchez-Morán, E.

Pasteur, N. *see* Guillemaud, T.
Pemberton, J. M. *see* Slate, J.
Perez, J., Garcia-Vazquez, E., Moran, P. Physical distribution of SINE elements in the chromosomes of Atlantic salmon and rainbow trout **575**
Pérez-Enciso, M., Toro, M. A. Robust QTL effect estimation using the Minimum Distance method **347**
Pérez-Losada, M., Guerra, Á., Sanjuan, A. Allozyme differentiation in the cuttlefish *Sepia officinalis* (Mollusca: Cephalopoda) from the NE Atlantic and Mediterranean **280**
Perfectti, F. *see* Bakkali, M.
Perry, D. J., Isabel, N., Bousquet, J. Sequence-tagged-site (STS) markers of arbitrary genes: the amount and nature of variation revealed in Norway spruce **239**
Persat, H. *see* Eppe, R.
Pickering, R. *see* Zhang, L.
Picornell, A. *see* Castro, J. A.
Piferrer, F. *see* Felip, A.
Pla, C. *see* Roldán, M. I.
Ponniah, M. *see* Hughes, J.
Potts, B. M. *see* Jordan, G. J.

Questiau, S., Gielly, L., Clouet, M., Taberlet, P. Phylogeographical evidence of gene flow among Common Crossbill (*Loxia curvirostra*, Aves, Fringillidae) populations at the continental level **196**

Rae, A. M., Howell, E. C., Kearsey, M. J. More QTL for flowering time revealed by substitution lines in *Brassica oleracea* **586**
Raimond, R. *see* Marcadé, I.
Ramon, M. *see* Castro, J. A.
Ramirez, M. G., Haakonsen, K. E. Gene flow among habitat patches on a fragmented landscape in the spider *Argiope trifasciata* (Araneae: Araneidae) **580**
Raymond, M. *see* Guillemaud, T.
Réale, D., Festa-Bianchet, M., Jorgenson, J. T. Heritability of body mass varies with age and season in wild bighorn sheep **526**
Reddy, K. D., Nagaraju, J., Abraham, E. G. Genetic characterization of the silkworm *Bombyx mori* by simple sequence repeat (SSR)-anchored PCR **681**
Reeve, J. P., Fairbairn, D. J. Change in sexual size dimorphism as a correlated response to selection on fecundity **697**
Reinhold, K. *see* Collins, R. D.
Reusch, T. B. H., Hukriede, W., Stam, W. T., Olsen, J. L. Differentiating between clonal growth and limited gene flow using spatial autocorrelation of microsatellites **120**
Rieseberg, L. H., Archer, M. A., Wayne, R. K. Short Review: Transgressive segregation, adaptation and speciation **363**
Rigaud, T. *see* Marcadé, Isabelle
Rigaud, T., Moreau, J., Juchault, P. *Wolbachia* infection in the terrestrial isopod *Oniscus asellus*: sex ratio distortion and effect on fecundity **469**
Rochard, P. *see* Guillemaud, T.
Roff, D. A. *see* Crnokrak, P.
Roff, D. A., Fairbairn, D. J. Predicting correlated responses in natural populations: changes in JHE activity in the Bermuda population of the sand cricket, *Gryllus firmus* **440**
Roldán, M. I., García-Marín, J. L., Utter, F. M., Pla, C. Genetic relationships among *Merluccius* species **79**
Romagosa, I. *see* Igartua, E.
Rossi, R. *see* Tagliavini, J.
Rumsey, F. J. *see* Vogel, J. C.
Russell, S. J. *see* Vogel, J. C.

Sánchez-Morán, E., Benavente, E., Orellana, J. Simlultaneous identification of A, B, D and R genomes by genomic *in situ* hybridization in wheat–rye derivatives **249**
Sanjuan, A. *see* Pérez-Losada, M.
Schaefer, P. W. *see* Higashiura, Y.
Semerikov, V. L., Lascoux, M. Genetic relationship among Eurasian and American *Larix* species based on allozymes **62**
Shaw, P. W., Turan, C., Wright, J. M., O'Connell, M., Carvalho, G. R. Microsatellite DNA analysis of population structure in Atlantic herring (*Clupea harengus*), with direct comparison to allozyme and mtDNA RFLP analyses **490**
Sheldon, B. C. *see* Merilä, J.
Siegismund, H. R. *see* Nielsen, L. R.
Slate, J., Pemberton, J. M., Visscher, P. M. Power to detect QTL in a free-living polygynous population **327**
Souty-Grosset, C. *see* Marcadé, I.
Sperling, F. A. H. *see* Kain, D. E.
Stam, W. T. *see* Reusch, T. B. H.
Stamatis, C. *see* Mamuris, Z.
Stark, C. *see* Vogel, J. C.
Steiner, A. L. *see* Armbruster, P.
Stenlid, J. *see* Högberg, N.
Streiff, R. *see* Degen, B.
Suyama, Y. *see* Tsumura, Y.
Sweigart, A., Karoly, K., Jones, A., Willis, J. H. The distribution of individual inbreeding coefficients and pairwise relatedness in a population of *Mimulus guttatus* **625**

Taberlet, P. *see* Questiau, S.
Tagliavini, J., Williot, P., Congiu, L., Chicca, M., Lanfredi, M., Rossi, R., Fontana, F. Molecular cytogenetic

analysis of the karyotype of the European Atlantic sturgeon, *Acipenser sturio* **520**
Tas, I. C. Q. *see* Van Dijk, P. J.
Tas, I. C. Q., Van Dijk, P. J. Crosses between sexual and apomictic dandelions (*Taraxacum*). I. The inheritance of apomixis **707**
Templeton, A. R. *see* Matioli, S. R.
Thomas, H. M. *see* Armstead, I. P.
Tomaru, N. *see* Tsumura, Yoshihiko
Toro, M. A. *see* Pérez-Enciso, M.
Townson, H. *see* Donnelly, M. J.
Triantaphyllidis, C. *see* Mamuris, Z.
Tsagkarakou, A. *see* Guillemaud, T.
Tsumura, Y., Tomaru, N., Suyama, Y., Bacchus, S. Genetic diversity and differentiation of *Taxodium* in the south-eastern United States using cleaved amplified polymorphic sequences **229**
Turan, C. *see* Shaw, P. W.
Tusa, N. *see* Del Bosco, S. F.

Utter, F. M. *see* Roldán, M. I.

Van Delden, W. *see* Kamping, A.
Van Dijk, P. J. *see* Tas, I. C. Q.
Van Dijk, P. J., Tas, I. C. Q., Falque, M., Bakx-Schotman, T. Crosses between sexual and apomictic dandelions (*Taraxacum*). II. The breakdown of apomixis **715**
Van Nouhuys, S., Via, S. Natural selection and genetic differentiation of behaviour between parasitoids from wild and cultivated habitats **127**
Van Ooijen, J. W. LOD significance thresholds for QTL analysis in experimental populations of diploid species **613**
Vaz, S. C. *see* Carvalho, A. B.
Vekemans, X. *see* Hardy, O. J.
Vermerris, W., McIntyre, L. M. Time to flowering in *brown midrib* mutants of maize: an alternative approach to the analysis of developmental traits **171**
Via, S. *see* Van Nouhuys, S.
Visscher, P. M. *see* Slate, J.
Vogel, J. C., Rumsey, F. J., Russell, S. J., Cox, C. J., Holmes, J. S., Bujnoch, W., Stark, C., Barrett, J. A., Gibby, M. Genetic structure, reproductive biology and ecology of isolated populations of *Asplenium csikii* (Aspleniaceae, Pteridophyta) **604**
Vøllestad, L. A., Hindar, K., Møller, A. P. A meta-analysis of fluctuating asymmetry in relation to heterozygosity **206**

Waldmann, P. The effect of inbreeding and population hybridization on developmental instability in petals and leaves of the rare plant *Silene diclinis* (Caryophyllaceae) **138**
Waser, N. M. *see* Williams, C. F.
Wayne, R. K. *see* Rieseberg, L. H.
Williams, C. F., Waser, N. M. Spatial genetic structure of *Delphinium nuttallianum* populations: inferences about gene flow **541**
Williot, P. *see* Tagliavini, J.
Willis, J. H. *see* Sweigart, A.
Willis, J. H. The contribution of male-sterility mutations to inbreeding depression in *Mimulus guttatus* **337**
Wilson, J. *see* Gillies, A. C. M.
Wiltshire, R. J. E. *see* Jordan, G. J.
Wright, J. M. *see* Shaw, P. W.
Wyatt, R. *see* Lipow, S. R.

Yu, Y.-C., Lin, F.-J., Chang, H.-Y. Stepwise chromosome evolution in *Drosophilia albomicans* **39**

Zanuy, S. *see* Felip, A.
Zhang, L., Pickering, R., Murray, B. Direct measurement of recombination frequency in interspecific hybrids between *Hordeum vulgare* and *H. bulbosum* using genomic *in situ* hybridization **304**
Ziegenhagen, B. *see* Degen, B.

Heredity **83** (1999) 773–776

Keyword index

28S and 5S rDNA **520**
2*n*-gametes **707, 715**
acclimation **46**
Acipenser **520**
adaptation **363**
additive genetic variance **103, 644**
allelic sequence variation **239**
allozymes **5, 30, 62, 79, 110, 271, 280, 476, 490, 533, 580, 597, 604, 652**
Anopheles arabiensis **408**
apomixis **707, 715**
AP-PCR **354**
Argiope trifasciata **580**
artificial selection **15**
Asplenium csikii **604**
Atlantic herring **490**

B chromosomes **428, 435**
balanced polymorphism **1**
bald cypress **229**
BaMMV **568**
barley **304, 551**
basidiomycetes **354**
bio model **310**
biogeography **79**
body mass **526**
body size **54**
Bombyx mori **681**
Brassica **586**
breeding systems **604**
brown midrib **171**

CAPS **229**
Caryocar brasiliense **748**
Caryocaraceae **748**
Cerrado **748**
Cervus elaphus **327**
chiasma-frequency **298**
chromosome evolution **39**
chromosome location **575**
clonal reproduction **120**
codominant PCR-based markers **239**
coefficient of inbreeding **260**
coevolution **440**
colonization **604**
complementary genes **363**
conifer genes **239**
conservation units **418**
conservation **138, 722**
control region **196**
correlated response **440, 697**
cost of inbreeding **290**
Cotesia glomerata **127**
Cottus **533**
Crustacea **469**
Cryptomeria **229**
cytogenetics **298**
cytoplasmic bacteria **469**

deleterious mutations **1, 337**
developmental instability **138**
developmental stability **206**
developmental time **46**
Dicentrarchus labrax **387**
differentiation **560**
dimorphism **440**
diplospory **715**
dominance modifiers **1**
dominance variance **103**
Drosophila **54, 221, 688**
D. albomicans **39**
D. melanogaster **15, 460, 663, 697**
D. subobscura **271**
duplication **451**

ecological barriers **533**
effective population size **253, 485**
endangered species **418**
environmental stress **46, 509, 637**
epitasis **54**
esterase overproduction **87**
evolution **87, 120**
extinction **509**
Eyprepocnemis plorans **428, 435**

fecundity selection **697**
female choice **310, 644**
feminization **469**
fertility restoration **460**
Festuca ovina **451**
fitness **87, 103, 260, 663**
floral traits **733**
flowering time **171, 586**
fluctuating asymmetry **742**
fluorescent *in situ* hybridization **435, 520, 575**
Fomitopsis pinicola **354**
foraging behaviour **127**
forest trees **597**

Fragaria virginiana **733**
F-statistics **110, 541**
functional gender **310**

gene amplification **87**
gene evolution **451**
gene flow **5, 145, 253, 378, 408, 418, 541, 580, 652**
genetic adaptation **460**
genetic advance **757**
genetic contribution **485**
genetic correlation **179, 398, 644, 688, 733**
genetic differentiation **155, 280**
genetic distance **597**
genetic diversity **188, 476, 568, 722**
genetic drift **485**
genetic load **337**
genetic mapping **327**
genetic polymorphism **451**
genetic structure **5, 110, 120, 418**
genetic variance **526, 757**
genetic variation **30**
genetics **298, 533**
genome fingerprinting **681**
genome identification **249**
genomic *in situ* hybridization **249, 304**
good genes model **644**
grasshopper **428**
gynodioecy **733**
gynogenesis **387**

habitat fragmentation **418, 580**
hake **79**
haploid syndrome **387**
heat stress **460**
heritability **103, 179, 526, 644, 688, 733, 757**
Hertwig effect **387**
heteroblasty **179**
heterochromatin **188**
heterochrony **179**
heterokaryotype superiority **460**
heterorhabditis **253**
heterosis **54**
heterozygosity **597**
honey bees **671**
Hordeum bulbosum **304**
H. vulgare **568**
host race **652**
*Hpa*I **575**
hybrid zone **155, 319**
hybridization **39, 249, 363, 560**
hybrids **742, 757**

inbreeding depression **162, 260, 290, 337, 541**
inbreeding **138, 206, 476, 485, 625**
intraspecific phylogeography **196**
introgression **363**
inversion *In(2L)t* **460**
isofemale lines heritability **398**
isolated populations **476, 604**
isolation processes **533**
isolation-by-distance **145, 625**
isozymes **451, 568**
ISSR-PCR **681**
Ixodes pacificus **378**
Ixodidae **378**

join-count **120**

karyotype selection **39**
karyotype **520**
knockdown **15**

laboratory crosses **71**
laboratory selection **637**
land snail **110**
Larix **62**
lemon **373**
Lepidoptera **290**
life history traits **103**
life history **637**
life table **46**
linkage **613**
logging **722**
Lolium **298**
longevity **46**
Loxia curvirostra **196**
Lymantria dispar **290**
Lyme disease **378**

maize **171**
major gene **327**
Majorca **271**
male sterility **337**
male-killing **290**
mammals **526**
mating system **418**
maximum likelihood **347**
Mediterranean Sea **30**
meiosis **373**
meiotic drive **221**
mentor effect **707**
Merluccius **79**
metabolic pathways **1**
metapopulation **110**
microevolution **179**
microsatellites **120, 155, 408, 490, 625, 652, 748**
Mimulus **337, 625**
minimum distance **347**

Minorca 271
mitochondrial DNA haplotype 271
mitochondrial DNA polymorphism 71
mitochondrial DNA 5, 196, 253, 378, 490
molecular marker 613
morphological characters 568
morphology 54
Mullus surmuletus 30
multicolour fluorescence 249
multiplex PCR 239
multivariate morphometrics 671
Mus musculus domesticus 319

Nannoperca oxleyana 5
natural population 327
natural selection 103
ND4 253

offspring quality 162
Olea europaea 188
Olea species 188
Oncorhynchus mykiss 575
Oniscidea 469
ontogeny 179
orange 373
Orthoptera 428
outbreeding depression 541
outbreeding 757
outliers 347
overdominance 1
Ovis canadensis 526

parthenogenesis 707, 715
partial Mantel tests 155
patchy environment 1
pedigree 327
pelagic fish 490
performance 15
permutation test 597
PGI 451
phenotypic evolution 671
phenotypic plasticity 398
photoperiod 551
phylogenesis 188
phylogenetic analysis 155
phylogenetic autocorrelation 671
phylogeny 62, 79
phylogeography 280, 671
Picea abies 239
Pieris rapae 127
pollen quality 162
pollen tube 162
pollen viability 337
pollen 171
polyploidy 604
pond cypress 229
population differentiation 354, 408
population genetics 145, 580, 663
population hybridization 138
population structure 378, 490, 560, 625
Porcellionides pruinosus 71
pseudogamy 715
publication bias 206
Pygmy Perch 5

QTL 54, 347, 586, 613
quantitative genetics 440
quantitative variation 663

RAPDs 30, 568, 722
reaction norms 398
recombination frequency 304
red deer 327
reinforcement 503
REML 526
repetitive DNA 188, 435
reproductive character displacement 503
reproductive isolation 742
resistance 87
RFLP variation 551
Rhagoletis 652
ribosomal DNA 435
river system 476
Robertsonian races 319

Salmo salar 575
seed abortion 310
seed production 162
selection response 310
selection 196, 440, 485, 541, 757
self-fertilization 625
self-incompatibility 707
selfish DNA 435
Sepia officinalis 280
sex chromosomes 221
sex determination 387, 469
sex ratio 221, 290
sexual dimorphism 733
sexual size dimorphism 697
sexual selection 103, 310, 644
shape 688
shock tolerance 509
significance 613
Silene diclinis 138
simple sequence repeats 597
simulations 145
SINE 575
size 688

somatic hybridization **373**
Sorex araneus **155**
spatial autocorrelation **110, 120, 145, 541, 671**
speciation **363, 503, 742**
species concepts **652**
spider **580**
statistics **613**
STS **229**
sturgeon **520**
substitution lines **586**
suppressors **221**
survival analysis **171**
Swietenia **722**
sympatric ecotypes **742**
sympatric speciation **652**
sympatry **503**
systematics **196, 533**

Taraxacum **707, 715**
Taxodium **229**
telomeric sequence **520**
temperature **15**
terrestrial crustacean **71**
thermal adaptation **509**
thermoregulation **206**
trade-offs **46, 637**
transgressive segregation **363**
transposable elements **663**
tritrophic interaction **127**
tropical tree **748**

unisexual extinctions **221**
unreduced pollen **373**
UV-irradiation **387**

Vanilla **560**
vernalization **551**

wheat–rye derivatives **249**
wing morphology **688**
Wolbachia **71**
Wyeomyia smithii **509**

Zaprionus indianus **398**
Zostera marina **120**